1968 ANNUAL INDEXES

Textile Research Journal

Volume XXXVIII

MONTH	PAGES	MONTH	PAGES
January	1–108	July	679–772
February	109–210	August	773–878
March	211–320	September	879–976
April	321–446	October	977–1074
May	447–560	November	1075–1148
June	561–678	December	1149–1222

L = Letter to the Editor

AUTHOR AND TITLE INDEX

Abbott, Norman J. The Stress-Strain Behavior of Wool in Various Swelling Media (*Temin, Park*) 1026
Aboul-Fetouh, M. S. Migration and Diffusion of Finishing Agents in Drying (*Miles*) 176
Ahrens, F. J. The Dimensional Properties of Knitted Wool Fabrics. Part I: The Plain-Knitted Structure (*Knapton, Ingenthron, Fong*) 999
The Dimensional Properties of Knitted Wool Fabrics. Part II: 1 × 1, 2 × 2 Rib and Half-Cardigan Structures (*Knapton, Ingenthron, Fong*) 1013
Anderson, C. A. Surface Felting in Fabrics Knitted from Wool Treated by the Chlorine-Resin Shrink-Resist Press (*Katz, Wood*)—L 559
Andrews, Frederick R. Abrasion and Tensile Properties of Cross-Linked Cotton Fabrics (*Grant, Weiss, Hassenboehler*) . . . 217
Arai, Kenichiro Swelling Degree of Cellulose Materials and Hydrolysis Rate with Cellulase (*Ogiwara*) 885
Arkley, Thomas H. The Use of X-ray Fluorescent Spectroscopy to Measure the Amount of Soil on Wool Fabric (*Richards, Morris*)—L 105
Arthur, Jett C., Jr. Some Properties of Phenyl-Carbamylated Cotton (*Sarkar, George*)—L 1145
Vinyl Cellulose Copolymers. Part I: Effect of Method of Preparation on the Properties of Polyacrylonitrile-Cotton Copolymers (*Blouin, Morris*) 710
Vinyl-Cellulose Copolymers. Part II: Fibrous Structure and Properties of Poly (Alkyl Methacrylate-Cotton Copolymers Prepared by Radiation-Initiated Reactions (*Blouin, Cannizzaro, Rollins*) 811
Asquith, R. S. The Solubility Tests on Wool as Related With Lanthionine and Lysinoalanine Content (*Miró, Dominguez*) 1057
Atchison, George J. Radiation-Induced Degradation of Methyl Cellulose Without Dealkoxylation—L 1142
Avny, Yair Anionic Graft Polymerization of Acrylonitrile on Cellulose (*Rebenfeld*) 684
Formation and Structure of Sodium Cellulosates in Relation to Physical Properties of Cellulosic Fibers (*Rebenfeld*) 599

Backer, Stanley. Design of an On-Line Computer-Based Textile Information Retrieval System (*Sheldon, Roach*) 81
Instrument for Measuring Bending-Moment Relationships in Textile Materials (*Popper*)—L 870
Tensile Rupture of Blended Yarns (*Monego*)—L 762
Baird, K. Felting Shrinkage of Plain-Knitted Wool Fabrics: Its Dependence Upon Fabric Structure and Shrinkproofing Level (*Foulds*) 743
Knitted Wool Fabrics of Different Structures: Tightness and Felting Shrinkage (*Foulds*)—L 1146
Temperature and Moisture Regain of Wool Fabrics During Steam Pressing—L 670
Baltinger, William F. Improved Cotton Durable Press by Wet Fixation. Laboratory-Mill Correlations (*Nakajima, De Paolo*) 432
Bandyopadhyay, S. B. Quality Assessment of Jute and Mesta Yarns from Their Fiber Properties 135
Barella, A. Graphical Conversion of Digital Fibrograph into Suter-Webb Array Data (*Viertel, Castro, Sánchez*)—L . . . 972
Interpretation of the Results of the Digital Fibrograph in its Application to Worsted Tops 561

Barnhurst, James D. A Study of the Causes of Variation in the Acid Dye-Combining Capacity of Human Hair (*Robbins, Scott*) 1130
The Influence of Presorbed Surfactant on the Sorption of Cationic Surfactant by Hair (*Robbins, Scott*)—L 1197
Behrens, Ernst Dynamic Testing of Composite Materials . . . 1075
Bell, James P. Effect of Fiber and Dyebath Variables on the Rate of Acid Dyeing of Nylon 6,6 984
Belser, R. B. Instrument for Grading Seam Pucker (*Kwon, Meaders*)—L 315
Bendit, E. G. The Distribution of High- and Low-Sulfur Fractions in Alpha Keratin 15
Bendkowska, Wieslawa Reduced Strength of Fabrics as a Measure of Their Mechanical Properties (*Zürek, Miskiewicz*)—L 305
Benerito, R. R. Effect of Mercerizing-Strength NaOH on Fine Structures of Cottons Modified with Butanedienediepoxide (*Ziifle, Berni, Cannizzaro*) 1101
Inconsistencies in Theories of Resiliency in Chemically Treated Cotton 279
Internal Catalyst for the Modification of Cotton Cellulose with Dimethylolethyleneurea (*Soignet*)—L 1143
Kinetics of the Reactions of Ethyleneurea Derivatives with Cotton Cellulose. Part III: The Cellulose-Dimethyldihydroxyethyleneurea Reaction (*Ziifle, Gonzales, Berni*) 925
Rates of Cotton-Dimethylol Carbamate Reactions at 160°C (*Berni, Reinhardt*)—L 1072
Beninate, John V. Conventional Pad-Dry-Cure Process for Durable-Flame and Wrinkle Resistance With Tetrakis (Hydroxymethyl Phosphonium Hydroxide (THPOH) (*Bolyston, Drake, Reeves*) 267
Bennett, Charlotte McCalla The Effect of Laundering on Stretch Properties of Selected Cotton Slack-Mercerized Fabrics—L 766
Berni, R. J. Effect of Mercerizing-Strength NaOH on Fine Structures of Cottons Modified with Buanedienediepoxide (*Ziifle, Benerito, Cannizzaro*) 1101
Kinetics of the Reactions of Ethyleneurea Derivatives with Cotton Cellulose. Part III: The Cellulose-Dimethyldihydroxyethyleneurea with Cotton Cellulose (*Ziifle, Benerito, Gonzales*) 925
Microscopical Evaluation of Cellulose Esters with Low Degrees of Substitution (*Cannizzaro, Goynes, Rollins*) 842
Rates of Cotton–Dimethylol Carbamate Reactions at 160°C (*Reinhardt, Benerito*)—L 1072
Betrabet, S. M. Studies on Cellulolytic Mico-Organisms. Part I: Microflora Associated With the Degradation of Cotton in Storage in Bombay (*Dasani, Bhatt*) 1189
Beyer, H. Investigation of the Quantitative Dinitrophenylation of the Lysyl and the Tyrosyl Residues in Mohair (*Zahn*)—L 1069
Bhaduri, S. N. Studies on Hook Formation and Cylinder Loading on the Cotton Card (*Ghosh*) 535
Bhatt, Indira G. Studies on Cellulolytic Micro-Organisms.. Part I: Microflora Associated With the Degradation of Cotton in Storage in Bombay (*Betrabet, Dasani*) 1189
Billheimer, J. S. Should Informal and Negative Information Get into an Information Retrieval System?—L 1210
Blackman, F. The Impact of Needles on a Knitting Cam (*Leaf*) 651

Blouin, Florine A. Vinyl Cellulose Copolymers. .Part I. Effect of Method of Preparation on the .roperties of Polyacrylonitrile-Cotton Copolymers (*Morris, .rthur*) 710
Vinyl-Cellulose Copolymers.. Part .I: Fibrous Structure and Properties of Poly (Alkyl Methacrylate)—Cotton Copolymers Prepared by Radiation-Initiated Reactions (*Cannizzaro, Arthur, Rollins*) 811
Borsten, H. Response to Letter by Olofsson (*de Boer*)—L . . . 443
Bosley, D. E. Oblique Strain Markings in Oriented Polymers 141
Bolyston, Eileen K. Conventional Pad-Dry-Cure Process for Durable-Flame and Wrinkle Resistance With Tetrakis(Hydroxymethyl) Phosphonium Hydroxide (THPOH) *Beninate, Drake, Reeves*) 267
Brannan, Mary Ann F. Mobile Ester Cross Links for Thermal Creasing of Wrinkle-Resistant Cotton Fabrics (*Rowland*) . . 634
Brown, C. B. Oil Take Up and Removal by Washing from Polyester, Polyester/Cotton Blend and Other Fabrics (*Thompson, Stewart*) 735
Bruno, J. S. Application of Mechanisms for Wet and Dry Wrinkle Recovery to Fabric Exhibiting the Unusual Combination of High Dry and Low Wet Recovery (*Harper, Reeves*) 292
Bry, Roy E. Moth Resistance of Glutaraldehyde-Stabilized Wool (*Happich, Windus, Naghski*)—L 973
Buras, Edmund M. Preparation of Specimens from Wool Top and Cores for Electronic Wool Fineness Determination (*Penoyer, Hoke*) 1164
Burke, M. Formation of Free Radicals in Chemically Modified Wools by Persulfate Treatment (*Nicholls*) 891
Butterworth, G. A. M. Prediction of Stretch-Woven Fabric Behavior From False-Twist Textured Filament Yarn Properties (*Platt, Singleton, Sprague*) 855

Caldwell, J. B. Formaldehyde Treatments for Stabilizing Set in Wool (*Leach, Milligan, Delmenico*)—L 877
Cannizzaro, A. M. Effect of Mercerizing-Strength NaOH on Fine Structures of Cottons Modified with Butanedienediepoxide (*Ziifle, Benerito, Berni*) 1101
Cannizzaro, Anna M. Microscopical Evaluation of Cellulose Esters with Low Degrees of Substitution (*Goynes, Rollins, Berni*) 842
Vinyl-Cellulose Copolymers. .Part II: Fibrous Structure and Properties of Poly (Alkyl Methacrylate)—Cotton Copolymers Prepared by Radiation-Initiated Reactions (*Blouin, Arthur, Rollins*) 811
Cashen, Norton A. The Resistance to Chlorine Damage of Cotton Finished with Propyleneurea Agents (*Reinhardt, Reid*)—L 1067
Chanzy, H. Encapsulation of Pulp Fibers by Vanadium Trichloride-Catalyzed Polymerization of Ethylene (*Coté, Marchessault*) 583
Castro, L. Graphical Conversion of Digital Fibrograph into Suter-Webb Array Data (*Viertel, Sánchez, Barella*)—L 972
Chatterjee, R. Breaking Twist Angle of Wool Fiber as a Measure of Acid Carbonizing Damage (*Juneja, Ranganathan*)—L 1138
Chaudri, M. A. The Influence of Natural Variations in Fiber Properties on the Bulk Compression of Wool (*Whiteley*) . . 897
Chipalkatti, V. B. Estimation of Tryptophan Content of Wool by Barium Hydroxide (Baryta) Hydrolysis Method (*Juneja, Sule*) 461
Isolation of Coloring Matter from Canary-Colored Wool (*Gupta, Patnaik*)—L 107
Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part I: Predictions of Tear Performance in Service on the Basis of Physical Properties (*Sarma, Maji, Ranganathan*) 701
Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part II: A Theoretical Study of Tear Performance in Service (*Sarma, Ranganathan, Maji*) 1118
Chiplonkar, N. C. Relation Between Cotton Maturity Coefficient and Percent Increase in Fiber Weight of Cotton Lint and Relative Humidity—L 1071
Cicione, R. J. Improved Durable-Press Cottons Produced by Conventional Pad-Dry-Cure Procedures Using Pairs of Monofunctional and Difunctional Swelling Reactants (*Gagliardi, Wehner*) 425
Clark, Samuel K. A Comparison of the Net and Continuum Theory as Applied to Cord-Reinforced Laminates (*Dodge*) . . 931
Conrad, Carl M. Kinetic Examination of the Pyrolysis of Tritylated Celluloses: Comparison of the Chatterjee and Two Alternative Methods (*Harbrink*) 366
Mechanical, Thermal, and Thermomechanical Properties of Propionylated Cotton Yarn (*Sircar*) 352
Cooney, J. D. Effect of Noncellulosic Material on the Actinic Degradation of Cotton Fabric. Part IV: 5-Bromosalicylaldehyde N-(n-Butyl)-5-Bromosalicylaldimine, Di-(5-Bromosalicylaldehyde) Ethylenediimine, and Their Copper Complexes (*Wiles, Gingras*) 615
Cooper, A. S., Jr. Yarn Mercerization Techniques in Preparing High-Strength Wash-Wear Cottons (*Murphy, Margavio, Welch*) 544
Cooper, S. L. Structure of Twisted Nylon 6 and Poly(Ethyleneterephthalate) Fibers (*McKinnon, Prevorsek*) 803
Coté, W. A., Jr. Encapsulation of Pulp Fibers Vanadium Trichloride-Catalyzed Polymerization of Ethylene (*Chanzy, Marchessault*) 583
Cusick, Gordon E. Carpet Performance Evaluation. Part II: Stress–Strain Behavior (*Laughlin*) 72

Dasani, Usha P. Studies on Cellulolytic Micro-Organisms. Part I: Microflora Associated With the Degradation of Cotton in Storage in Bombay (*Betrabet, Bhatt*) 1189
Daul, G. C. Wrinkle-Resistant Fabrics—L 1199
David, H. G. Analysis of Wearer Trials of Wool/Nylon Socks (*McCullough*) 679
de Boer, J. J. Response to Letter by Olofsson (*Borsten*)—L . . 443
Delasanta, A. C. Durable Non-Reactive Flame-Retardant Finishes for Cotton (*Miles*) 273
Delmenico, J. Formaldehyde Treatments for Stabilizing Set in Wool (*Caldwell, Leach, Milligan*)—L 877
DeLuca, L. B. An Evaluation of Fiber Parallelization and Drafting Tenacity of Cotton Sliver (*Simpson, Fiori*) 817
DePaolo, George Improved Cotton Durable Press by Wet Fixation. Laboratory-Mill Correlations (*Baitinger, Nakajima*) 432
Di Modica, G. Effects of Ionizing Radiations on Wool. .Part I: Solubility in Alkalis, Acids, Urea, and Ureabisulfite Solutions (*Marzona*)—L 974
Effects of Ionizing Radiations on Wool. Part II: Chemical Modifications of Keratins (*Marzona*)—L 1208
Dodge, Richard N. A Comparison of Net and Continuum Theory as Applied to Cord-Reinforced Laminates (*Clark*) 931
Dominguez, J. J. Garcia The Solubility Tests on Wool as Related With the Lanthionine and Lysinoalanine Content (*Asquith, Miró*) 1057
Downes, A. M. A Liquid Scintillation Counting Technique for the Determination of the Mean Fiber Diameter of Wool Samples Labeled with [^{14}C] Formic Acid (*Till*) 523
Effect of Fiber Diameter in the Liquid Scintillation Counting of Wool Labeled by Reaction with [2-^{3}H] and [2-^{14}C] Iodoacetic Acid (*Till*) 518
Drake, George L., Jr. Conventional Pad-Dry-Cure Process for Durable-Flame and Wrinkle Resistance With Tetrakis (Hydroxymethyl) Phosphonium Hydroxide (THPOH) (*Beninate, Boylston, Reeves*) 267
Duby, R. G. Fiber-to-Yarn Strength Translation of Acrylic Spun Yarns (*Hurley, Pfeifer*) 1174

Egerton, G. S. The Effect of Temperature on the Photochemical Degradation of Textile Materials. Part I: Degradation Sensitized by Titanium Dioxide (*Shah*) 130
El-Behery, Hassan M. Study of Theories of Fiber Migration —Need for More Fundamental Approach and Further Studies 321

Feughelman, M. Stress Relaxation of Wool Fibers in Different Media at 96°C (*Irani, Gan*) 1039
The Equilibrium Between α and β Phases in Keratin Fibers in Water—L 1136
Finkner, Morris D. Differences in Outdoor Weathering of Cottons (*Lee*) 1044
Fiori, L. A. An Evaluation of Fiber Parallelization and Drafting Tenacity of Cotton Sliver (*DeLuca, Simpson*) 817
Fong, W. The Dimensional Properties of Knitted Wool Fabrics. Part I: The Plain-Knitted Structure (*Knapton, Ahrens, Ingenthron*) 999
The Dimensional Properties of Knitted Wool Fabrics. Part II: $1 \times 1{,}2 \times 2$ Rib, and Half-Cardigan Structures (*Knapton, Ahrens, Ingenthron*) 1013
Ford, Oliver E. Suspending Power and Soil Removal in Detergency 339
Forster, Michael Glass Transition Temperature of Nylon 6 . . 474
Foulds, R. A. Felting Shrinkage of Plain-Knitted Wool Fabrics: Its Dependence Upon Fabric Structure and Shrinkproofing Level (*Baird*) 743
Knitted Wool Fabrics of Different Structures: Tightness and Felting Shrinkage (*Baird*)—L 1146
Fransen, T. Study of the Reversal Phenomenon in the Fibrillar Structure of the Cotton Fiber: Reversal Distance Distribution as Origin of an Extended Hypothesis in the Cotton Fiber Development (*Raes, Verschraege*) 182
Frazer, L. A. Effect of Dimethyl Sulfoxide Treatments on the Settability of Wool (*Leach, Milligan*)—L 1201
French, Kenneth E. Strength of a Textile Webbing Connection 118

Gagliardi, D. D. Improved Durable-Press Cottons Produced by Conventional Pad-Dry-Cure Procedures Using Pairs of Monofunctional and Difunctional Swelling Reactants (*Wehner, Cicione*) 425
Gamarra, Jose Vapor-Phase Treatment of Cotton Fabrics with Formaldehyde Catalyzed by Sulfur Dioxide (*Wilson, Swidler*) 401
Gan, Maurine Stress Relaxation of Wool Fibers in Different Media at 96°C (*Feughelman, Irani*) 1044
Gandhi, R. S. Absorption of THPC on Textile Fabrics 1180
Infrared Analysis of Oxidized Keratins (*Shah*)—L 874
Oxidation of Cystine with Perchloric Acid (*Shah*)—L 1066
Utilizing Silver Electrode to Determine the Chloride Concentration in Dissolved Wool Solutions (*Shah*)—L 313
Utilizing the Sodium Ion Electrode to Determine Sodium Ions in Presence of Dissolved Wool Solutions (*Kulkarni, Shah*)—L 307
Gentry, W. Thomas, Jr. Some observations on the Elastic Behavior of Resin-Treated Cotton Batting at Temperatures Between 135°F and 170°F (*Knoepfler*) 44
George, McLean Some Properties of Phenyl-Carbamylated Cotton (*Sarker, Arthur*)—L 1145
Ghosh, G. C. Studies on Hook Formation and Cylinder Loading on the Cotton Card (*Bhaduri*) 535

Giles, Charles H. Anomalous Lightfastness in Disperse-Dyed Systems and its Significance in Studies of Fading Mechanisms (*Vabe, Shah*) . . . 467
Some Observations on the Kinetics of Dye Fading (*Johari, Shah*) 1048
Gingras, B. A. Effects of Noncellulosic Material on the Actinic Degradation of Cotton Fabric. Part IV: 5-Bromosalicylaldehyde, N-(n-Butyl)-5-Bromosalicylcycladimine, Di-(5-Bromosalicylaldehyde) Ethylenediimine, and Their Copper Complexes (*Wiles, Cooney*) . . . 615
Gonzales, Elwood J. Kinetics of the Reactions of Ethyleneurea Derivatives with Cotton Cellulose. Part III: The Cellulose-Dimethyldihydroxyethyleneurea Reaction with Cotton Cellulose (*Ziifle, Benerito, Berni*) . . . 925
Goodings, A. C. A Method for the Measurement of the Rigidity of Fibers Immersed in Liquids. The Torsion Double Pendulum . . . 123
Gordon, Carlton C. Heat on Wool vs Fulling . . . 621
Goswami, B. C. Migration of Fibers in Yarns. Part VII: Further Experiments on Continuous Filament Yarns (*Hearle*) . . . 790
Migration of Fibers in Yarns. Part VI: The Correlogram Method of Analysis (*Hearle*) . . . 780
Govindarajulu, K. Prediction of the Quality of Blended Yarns from That of the Individual Components (*Ratman, Shankaranrayana, Underwood*) . . . 360
Goynes, Wilton R. Miscoscopical Evaluation of Cellulose Esters with Low Degrees of Substitution (*Cannizzaro, Rollins, Berni*) 842
Grant, James N. Abrasion and Tensile Properties of Cross-Linked Cotton Fabrics (*Andrews, Weiss, Hassenboehler*) . . . 217
Grosberg, P. The Behavior of Fabrics in Shear (*Park*)—**L** . . . 1205
The Mechanical Properties of Woven Fabrics. Part VI: The Elastic Shear Modulus of Plain-Weave Fabrics (*Leaf, Park*) 1085
Gruen, L. C. A Process for Simultaneously Bleaching Wool and Stabilizing Set (*Inglis*)—**L** . . . 1062
Studies in Wool Yellowing. Part XX: Change in Fluorescence of Brightened Wool on Irradiation (*Inglis*) . . . 497
Studies in Wool Yellowing. Part XXI: Further Studies on Wool Fabrics Treated with Fluorescent-Brightening Agents and Thiourea-Formaldehyde (*Inglis*) . . . 509
Gupta, Mrs. K. Isolation of Coloring Matter from Canary-Colored Wool (*Patnaik, Chipalkatti*)—**L** . . . 107
Spectrophotometric Method for Determining the Degree of Yellowness and Degree of Redness of Yellow Solutions Only—**L** 310

Hagege, R. Contribution to the Electron-Microscope Study of the Fine Structure of Cellulose Fibers by Means of Ultramicrotomy (*Kassenbeck*) . . . 196
Halth, Malcolm S. Lewis-Acid Catalysis of Amido Methylol Resins and Possible Complex Formation (*Namboori*)—**L** . . . 1061
Hansen, David Morphology of Melt-Crystallized Polyethyleneterephthalate (*Watkins*) . . . 388
Happich, W. F. Moth Resistance of Glutaraldehyde-Stabilized Wool (*Windus, Naghski, Bry*)—**L** . . . 973
Harbrink, Pieter Kinetic Examination of the Pyrolysis of Tritylated Celluloses: Comparison of the Chatterjee and Two Alternative Methods (*Conrad*) . . . 366
Harper, Robert J., Jr. Application of Mechanisms for Wet and Dry Wrinkle Recovery to Fabric Exhibiting the Unusual Combination of High Dry and Low Wet Recovery (*Bruno, Reeves*) . . . 292
Hassenboehler, Charles B., Jr. Abrasion and Tensile Properties of Cross-Linked Cotton Fabrics (*Grant, Andrews, Weiss*) . . . 217
Hearle, J. W. S. Nonwoven Fabric Studies. Part XV: The Application of the Fiber Network Theory (*Newton*) . . . 343
Hearle, J. W. S. Nonwoven Fabric Studies. Part XVI: The Behavior of Model Systems of Bonded Fibers (*Newton*) . . . 488
Migration of Fibers in Yarns, Part VII: Further Experiments on Continuous Filament Yarns (*Goswami*) . . . 790
Migration of Fibers in Yarns. Part VI: The Correlogram Method of Analysis (*Goswami*) . . . 780
Hebeish, A. Grafting Acrylonitrile to Different Cellulosic Materials by High-Energy Radiation (*Mehta*)—**L** . . . 1070
Henshaw, D. E. Cam Forces in Weft Knitting . . . 592
Hentschel, Robert A. A. A New Class of Fibrous Polyethylene Sheet Products (*Shealy*) . . . 7
Hicks, R. E. Flexing Fatigue of Glass-Fiber Filter Cloth (*Mandersloot*) . . . 942
Hobart, Stanley R. Reaction of Aryl Isocyanates With Cotton Cellulose. Part IV: Reaction Via Phenyl N-Arylcarbamates (*McGregor, Mack*) . . . 824
Hoffman, H. L., Jr. Studies of Means of Obtaining High Moisture Regain in Resin-Treated Cotton Fabrics (*Liggett, Tanquary*) . . . 375
Hoke, Karl E. Preparation of specimens from Wool Top and Cores for Electronic Wool Fineness Determination (*Buras, Penoyer*) . . . 1164
Howard, G. Michael Sewing Needle Temperature. Part I: Theoretical Analysis and Experimental Methods (*Parsons*) 606
Hueso, J. A. Sulfitolysis of Keratin and its Morphological Structure (*Miró*)—**L** . . . 770
Hurley, R. B., Fiber-to-Yarn Strength Translation of Acrylic Spun Yarns (*Duby, Pfeifer*) . . . 1174

Ibrahim, Salim M. Mechanics of Form-Persuasive Garments Based on Spandex Fibers . . . 950

Ingenthron, W. W. The Dimensional Properties of Knitted Wool Fabrics. Part I: The Plain-Knitted Structure (*Knapton, Ahrens, Fong*) . . . 999
The Dimensional Properties of Knitted Wool Fabrics. Part II: 1 × 1,2 × 2 Rib, and Half-Cardigan Structures (*Knapton, Ahrens, Ingenthron, Fong*) . . . 1013
Inglis, A. S. A Process for Simultaneously Bleaching Wool and Stabilizing Set (*Gruen*)—**L** . . . 1062
Studies in Wool Yellowing. Part XIX: Improved Stability of Fluorescent-Brightened Fabrics to Simulated Sunlight (*Simpson*) . . . 109
Studies in Wool Yellowing. Part XX: Changes in Fluorescence of Brightened Wool on Irradiation (*Gruen*) . . . 497
Studies in Wool Yellowing. Part XXI: Further Studies on Wool Fabrics Treated with Fluorescent Brightening Agents and Thiourea-Formaldehyde (*Gruen*) . . . 509
Irani, F. Stress Relaxation of Wool Fibers in Different Media at 96°C (*Feughelman, Gan*) . . . 1039
Irick, Gether, Jr. Quantitative Determination of Disperse Dyes on Synthetic Fibers (*Pacifici*)—**L** . . . 876
Iyengar, R. L. N. Intercrystalline and Fine Structural Properties of Chemically Modified Cottons by Infrared Spectroscopy (*Pandey*)—**L** . . . 675
Studies on Luster in Textiles. Part III: Contribution of Structural Elements Towards the Luster Behavior of Cotton Fibers (*Prakash, Oka*) . . . 52
Iyer, S. R. Sivaraja The Accessibility and Internal Surface Area of Formaldehyde-Crosslinked Cotton Fibers (*Rao*)—**L** 668

Jeffries, R. Accessibility and Reaction Sites in Cotton (*Roberts, Robinson*) . . . 234
Johari, Devendra P. Some Observations on the Kinetics of Dye Fading (*Giles, Shah*) . . . 1048
Joubert, F. J. The Fractionation of the High-Sulfur Proteins from Oxidized Mohair (*Swart*) . . . 36
Juneja, K. K. Breaking Twist Angle of Wool Fiber as a Measure of Acid Carbonizing Damage (*Chatterjee, Ranganathan*—**L** . . . 1138
Estimation of Tryptophan Content of Wool by Barium Hydroxide (Baryta) Hydrolysis Method (*Sule, Chipalkatti*) 461

Kaeppner, W. M. Voids in Viscose Rayon Tire Yarn . . . 662
Kassenbeck, P. Contribution to the Electron-Microscope Study of the Fine Structure of Cellulose Fibers by Means of Ultramicrotomy (*Hagege*) . . . 196
Katz, H. J. Surface Felting in Fabrics Knitted from Wool Treated by the Chlorine-Resin Shrink-Resist Press (*Anderson, Wood*)—**L** . . . 559
Kerley, L. A. Abrasion Testing of Knitted Fabrics at Constant Riding Resistance (*Swanepoel*)—**L** . . . 557
King, M. G. Studies in Wool Yellowing. Part XXIII: UV Yellowing and Blue-Light Bleaching of Different Wools (*Lennox*) . . . 754
King, N. E. An Analysis on the Use of Resonance Circuit Apparatus for Measurement of Dielectric Constants of Wool—**L** 554
Knapton, James J. F. Knitting Performance of Wool Yarns: Effects of Yarn/Metal Friction, Loop Length, and Cover Factor on Knitting Performance . . . 22
The Dimensional Properties of Knitted Wool Fabrics. Part I: The Plain-Knitted Structure (*Ahrens, Ingenthron, Fong*) 999
The Dimensional Properties of Knitted Wool Fabrics. Part II: 1 × 1,2 × 2 Rib, and Half-Cardigan Structures (*Ahrens, Ingenthron, Fong*) . . . 1013
The Dynamics of Weft-Knitting. Further Theoretical and Mechanical Analyses . . . 914
Knoepfler, Nestor B. Some Observations on the Elastic Behavior of Resin-Treated Cotton Batting at Temperatures Between 135°F and 170°F (*Gentry*) . . . 44
Kulkarni, Mandakini Utilizing the Sodium Ion Electrode to Determine Sodium Ions in Presence of Dissolved Wool Solutions (*Shah, Gandhi*)—**L** . . . 307
Kwon, Chin T. Instrument for Grading Seam Pucker (*Belser, Meaders*)—**L** . . . 315

Laughlin, Kenneth C. Carpet Performance Evaluation. Part II: Stress-Strain Behavior (*Cusick*) . . . 72
Laurie, S. H. Uptake of Metal Complexes by Wool and Their Effects on its Physical Properties. Part II: A Method of General Application for Impregnating With Titanium Dioxide—**L** . . . 1140
Leach, S. J. Effect of Dimethyl Sulfoxide Treatments on the Settability of Wool (*Frazer, Milligan*)—**L** . . . 1201
Formaldehyde Treatments for Stabilizing Set in Wool (*Caldwell, Milligan, Delmenico*)—**L** . . . 877
Leaf, G. A. V. The Impact of Needles on a Knitting Cam (*Blackman*) . . . 651
The Mechanical Properties of Woven Fabrics. Part VI: The Elastics Shear Modulus of Plain-Weave Fabrics (*Grosberg, Park*) . . . 1085
Leaver, I. H. Studies in Wool Yellowing. Part XXII: ESR Investigations of the Action of UV Radiation . . . 729
Lee, Julia S. Differences in Outdoor Weathering of Cottons (*Finkner*) . . . 1044
Lee, Sung Won A Probability Model for Random Fiber Breakages. Part II: Estimation and Application . . . 565
Some Distributional Properties of a Mixing Index for Binary-Blend Yarn—**L** . . . 1200

Lennox, F. G. Studies in Wool Yellowing. Part XXIII: UV Yellowing and Blue-Light Bleaching of Different Wools (*King*) 754
Liggett, R. W. Studies of Means of Obtaining High Moisture Regain in Resin-Treated Cotton Fabrics (*Hoffman, Tanquary*) 375

Mack, Charles H. Reaction of Aryl Isocyanates Part IV: Reaction Via Phenyl N-Aryl-carbamates (*Hobart, McGregor*) 824
Maji, M. R. Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part I: Predictions of Tear Performance in Service on the Basis of Physical Properties (*Sarma, Ranganathan, Chipalkatti*) 701
Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics, Part II: A Theoretical Study of Tear Performance in Service (*Sarma, Ranganathan, Chipalkatti*) 1118
Makinson, K. Rachel Deformation of Straightened Bilateral Wool Fibers—**L** 555
Some New Observations on the Effects of Mild Shrinkproofing Treatments on Wool Fibers 831
Mandersloot, W. G. B. Flexing Fatigue of Glass-Fiber Filter Cloth (*Hicks*) 942
Marchessault, R. H. Encapsulation of Pulp Fibers by Vanadium Trichloride-Catalyzed Polymerization of Ethylene (*Chanzy, Coté*) 583
Marchlewska, Teresa Alterations in Structural and Mechanical Properties of Wool Fibers Versus Sheep's Age (*Włochowicz*) 503
Margavio, M. F. Yarn Mercerization Techniques in Preparing High-Strength Wash-Wear Cottons (*Murphy, Cooper, Welch*) 544
Marzona, M. Effects of Ionizing Radiations on Wool. Part I. Solubility in Alkalis, Acids, Urea, and Ureabisulfate Solutions (*Di Modica*)—**L** 974
Effects of Ionizing Radiations on Wool. Part II: Chemical Modifications of Keratins (*Di Modica*)—**L** 1208
McCullough, R. S. Analysis of Wearer Trials of Wool/Nylon Socks (*David*) 679
McKinnon, A. J. Structure of Twisted Nylon 6 and Poly (Ethyleneterephthalate) Fibers (*Cooper, Prevorsek*) 803
Meaders, J. Conrad Instrument for Grading Seam Pucker (*Belser, Kwon*)—**L** 313
McGregor, Howard H. Reaction of Aryl Isocyanates With Cotton Cellulose. Part IV: Reaction Via Phenyl N-Arylcarbamates (*Hobart, Mack*) 824
Mehta, P. C. Grafting of Acrylonitrile to Different Cellulosic Materials by High-Energy Radiation (*Hebeish*)—**L** 1070
Mellet, P. The Influence of Alkali Treatment on Native and Denatured Proteins 977
Menefee, Emory A Mechanical Model for Wool 1149
Middelburg, P. H. A Method for the Measurement of the Rigidity of Fibers Immersed in Liquids—**L** 1138
Miles, L. W. C. Migration and Diffusion of Finishing Agents in Drying (*Aboul-Fetouh*) 176
Miles, T. D. Durable Non-Reactive Flame-Retardant Finishes for Cotton (*Delasanta*) 273
Miller, Bernard Thermoanalytical Studies on the Durable-Press Curing of Cellulose. Part I: The Thermal Behavior of Trimethylolmelamine-Carbohydrate Mixtures 1
Thermoanalytical Studies on the Durable-Press Curing of Cellulose. Part II: The Effect of Nitrate Salts on the Thermal Behavior of Cotton 395
Milligan, Brian Effect of Dimethyl Sulfoxide Treatments on the Settability of Wool (*Frazer, Leach*)—**L** 1201
Formaldehyde Treatments for Stabilizing Set in Wool (*Caldwell, Leach, Delmenico*)—**L** 877
Mirő, P. Sulfitolysis of Keratin and its Morphological Structure (*Hueso*)—**L** 770
The Solubility Tests on Wool as Related With the Lanthionine and Lysinoalanine Content (*Asquith, Dominguez*) 1057
Miskiewicz, Jan Reduced Strength of Fabrics as a Measure of Their Mechanical Properties (*Żurek, Bendkowska*)—**L** 305
Monego, Constantin J. Tensile Rupture of Blended Yarns (*Backer*)—**L** 762
Morris, Mary Ann The Use of X-ray Fluorescent Spectroscopy to Measure the Amount of Soil on Wool Fabric (*Richards, Arkley*)—**L** 105
Morris, Nelle J. Vinyl Cellulose Copolymers. Part I: Effect of Method of Preparation on the Properties of Polyacrylonitrile-Cotton Copolymers (*Blouin, Arthur*) 710
Morris, R. Selective Cross-Linking in the Microfibrillar Component of Keratin (*Watt*)—**L** 674
Murphy, A. L. Yarn Mercerization Techniques in Preparing High-Strength Wash-Wear Cottons (*Margavio, Cooper, Welch*) 544

Naghski, J. Moth Resistance of Glutaraldehyde-Stabilized Wool (*Happich, Windus, Bry*)—**L** 973
Nakajima, William Improved Cotton Durable Press by Wet Fixation. Laboratory-Mill Correlations (*Baitinger, DePaolo*) 432
Namboori, C. G. G. Lewis-Acid Catalysis of Amido Methylol Resins and Possible Complex Formation (*Haith*)—**L** 1061
Newton, A. Nonwoven Fabric Studies. Part XV: The Application of the Fiber Network Theory (*Hearle*) 343
Nonwoven Fabric Studies. Part XVI: The Behavior of Model Systems of Bonded Fibers (*Hearle*) 488
Nicholls, C. H. Formation of Free Radicals in Chemically Modified Wools by Persulfate Treatment (*Burke*) 891
Nissan, Alfred H. Drying of Sheet Materials 447

O'Brien, S. James Cyanamide-Based Durable Flame-Retardant Finish for Cotton 256
O'Connell, R. A. Tenacity of Official U. S. Wool Top Standards—**L** 1199
Ogiwara, Yoshitaka Swelling Degree of Cellulose Materials and Hydrolysis Rate with Cellulase (*Arai*) 885
Oka, P. G. Studies on Luster in Textiles. Part III: Contribution of Structural Elements Towards the Luster Behavior of Cotton Fibers (*Prakash, Iyengar*) 52
Olofsson, B. Extension–Recovery Behavior of Cotton Fibers—**L** 440
Response to Letter by de Boer and Borsten—**L** 444
The Mechanics of Creasing and Crease Recovery 773
Owalekar, R. G. The Role of Fiber Hooks in Cotton Combing—**L** 768

Pacifici, James Grady Quantitative Determination of Disperse Dyes on Synthetic Fibers (*Irick*)—**L** 876
Pandey, S. N. Intercrystalline and Fine Structural Properties of Chemically Modified Cottons by Infrared Spectroscopy (*Iyengar*)—**L** 675
Park, B. J. The Mechanical Properties of Woven Fabrics. Part VI: The Elastic Shear Modulus of Plain-Weave Fabrics (*Grosberg, Leaf*) 1085
The Behavior of Fabrics in Shear (*Grosberg*)—**L** 1205
Park, Chunghi The Stress–Strain Behavior of Wool in Various Swelling Media (*Abbott, Temin*) 1026
Parsons, David Sewing Needle Temperature. Part I: Theoretical Analysis and Experimental Methods (*Howard*) 606
Patel, S. Investigations on the Chemical Constitution of Cotton Cross-Linked With Formaldehyde (*Rivlin, Samuelson, Stamm, Zollinger*) 226
Patil, N. B. Azimuthal Splitting of Equatorial X-Ray Reflections from Cotton (*Radhakrishnan*)—**L** 209
Patnaik, B. K. Isolation of Coloring Matter from Canary-Colored Wool (*Gupta, Chipalkatti*)—**L** 107
Patureau, Myles A. Harmonic Response of the Uster Spectrograph (*Tallant*)—**L** 208
Penoyer, John A. Preparation of Specimens from Wool Top and Cores for Electronic Wool Fineness Determination (*Buras, Hoke*) 1164
Petersen, H. Reaction Mechanisms, Structure, and Properties of Methylol Compounds in Cross-Linking Cotton 156
Pfeifer, C. R. Fiber-to-Yarn Strength Translation of Acrylic Spun Yarns (*Hurley, Duby*) 1174
Pittman, Robert A. Breakage Models and Measuring Techniques for Fiber Weight-Length Distributions (*Tallant*) 149
Mathematical Models and Measurement of Fiber Hooks (*Tallant*) 576
Platt, M. M. Prediction of Stretch-Woven Fabric Behavior From False-Twist Textured Filament Yarn Properties (*Butterworth, Singleton, Sprague*) 855
Popper, Peter Instrument for Measuring Bending-Moment Curvature Relationships in Textile Materials (*Backer*)—**L** 870
Porter, John J. Response to letter by *Rattee*—**L** 206
Prakash, Jai Studies on Luster in Textiles. Part III: Contribution of Structural Elements Towards the Luster Behavior of Cotton Fibers (*Oka, Iyengar*) 52
Prevorsek, D. C. Structure of Twisted Nylon 6 and Poly-(Ethyleneterephthalate) Fiber (*Cooper, McKinnon*) 803

Radhakrishnan, T. Azimuthal Splitting of Equatorial X-Ray Reflections from Cotton (*Patil*)—**L** 209
Raes, G. Study of the Reversal Phenomenon in the Fibrillar Structure of the Cotton Fiber: Reversal Distance Distribution as Origin of an Extended Hypothesis in the Cotton Fiber Development (*Fransen, Verschraege*) 182
Ramanathan, S. The Determination of Formaldehyde in Cellulose Formals and Methylated Cellulose Formals *Rivlin, Stamm, Zollinger* 63
Ramer, E. M. Correlation of the Electrical Resistivities of Fabrics with Their Ability to Develop and to Hold Electrostatic Charges (*Richards*) 28
Ranganathan, S. R. Breaking Twist Angle of Wool Fiber as a Measure of Acid Carbonizing Damage (*Juneja, Chatterjee*)—**L** 1138
Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part I: Predictions of Tear Performance in Service on the Basis of Physical Properties (*Sarma, Maji, Chipalkatti*) 701
Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part II: A Theoretical Study of Tear Performance in Service (*Sarma, Chipalkatti, Maji*) 1118
Rao, L. Seshagiri The Accessibility and Internal Surface Area of Formaldehyde-Crosslinked Cotton Fibers (*Iyer*)—**L** 668
Ratman, T. V. Prediction of the Quality of Blended Yarns from That of the Individual Components (*Shankaranarayana, Underwood, Govindarajulu*) 360
Rattee, I. D. Acid Dyeing Equilibria in Aminized Cotton—**L** 205
Raumann, G. Some Mechanical Properties of Resorcinol-Formaldehyde Latex (RFL) Tire Cord Adhesive 627
Rebenfeld, Ludwig Anionic Graft Polymerization of Acrylonitrile on Cellulose (*Avny*) 684
Formation and Structure of Sodium Cellulosates in Relation to Physical Properties of Cellulosic Fibers (*Avny*) 599
Oxidative Degradation of Nylon 66 Filaments (*Vachon, Taylor*) 716
Reeves, Wilson A. Application of Mechanisms for Wet and Dry Wrinkle Recovery to Fabric Exhibiting the Unusual Combination of High Dry and Low Wet Recovery (*Harper, Bruno*) 292
Conventional Pad-Dry-Cure Process for Durable-Flame and Wrinkle Resistance With Tetrakis (Hydroxymethyl) Phosphonium Hydroxide (THPOH) (*Beninate, Boylston, Drake*) 267

Reid, J. David The Resistance to Chlorine Damage of Cotton Finished with Propyleneurea Agents (*Reinhardt, Cashen*)—L 1067
Reinhardt, Robert M. Rates of Cotton-Dimethylol Carbamate Reactions at 160°C (*Berni, Benerito*)—L 1072
The Resistance to Chlorine Damage of Cotton Finished with Propyleneurea Agents (*Cashen, Reid*)—L 1067
Richards, H. R. Correlation of the Electrical Resistivities of Fabrics with Their Ability to Develop and to Hold Electrostatic Charges (*Ramer*) 28
Richards, Susan The Use of X-Ray Fluorescent Spectroscopy to Measure the Amount of Soil on Wool Fabric (*Morris, Arkley*)—L 105
Rivlin, Joseph Investigations on the Chemical Constitution of Cotton Cross-Linked With Formaldehyde (*Patel, Samuelson, Stamm, Zollinger*) 226
The Determination of Formaldehyde in Cellulose Formals and Methylated Cellulose Formals (*Ramanathan, Stamm, Zollinger*) 63
Roach, R. A. Design of an On-Line Computer-Based Textile Information Retrieval System (*Sheldon, Backer*) 81
Robbins, Clarence R. A Study of the Causes of Variation in the Acid Dye-Combining Capacity of Human Hair (*Scott, Barnhurst*) 1130
The Influence of Presorbed Anionic Surfactant on the Sorption of Cationic Surfactant by Hair (*Scott, Barnhurst*)—L. . . . 1197
Roberts, J. G. Accessibility and Reaction Sites in Cotton (*Jeffries, Robinson*) 234
Robinson, R. N. Accessibility and Reaction Sites in Cotton (*Jeffries, Roberts*) 234
Rollins, Mary L. Microscopical Evaluation of Cellulose Esters with Low Degrees of Substitution (*Cannizzaro, Goynes, Berni*) 842
Vinyl-Cellulose Copolymer. Part II: Fibrous Structure and Properties of Poly (Alkyl Methacrylate)—Cotton Copolymers Prepared by Radiation-Initiated Reaction (*Blouin, Cannizzaro, Arthur*) 811
Ross, Stanley E. Observations Concerning the Carbonization of Viscose Rayon Yarn 906
Rowland, Stanley P. Mobile Ester Cross Links for Thermal Creasing of Wrinkle-Resistant Cotton Fabrics (*Brannan*) . . 634
Rowley, M. E. Sodium Ethylcellulose Sulfate (*Slowig*) 879

Samuelson, T. Investigations on the Chemical Constitution of Cotton Cross-Linked With Formaldehyde (*Patel, Rivlin, Stamm, Zollinger*) 226
Sánchez, R. Graphical Conversion of Digital Fibrograph into Suter-Webb Array Data (*Viertel, Castro, Barella*)—L . . . 972
Sarkar, Ila M. Some Properties of Phenyl-Carbamylated Cotton (*Arthur, George*)—L 1145
Sarma, G. V. Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part I: Prediction of Tear Performance in Service on the Basis of Physical Properties (*Maji, Ranganathan, Chipalkatti*) 701
Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part II: A Theoretical Study of Tear Performance in Service (*Ranganathan, Chipalkatti, Maji*) . . . 1118
Savige, W. E. Studies in Wool Yellowing. Part XXVII: Processes for Retardation of Sunlight Yellowing of Fluorescent Brightened Wool—L 101
Scott, George V. A Study of the Causes of Variation in the Acid Dye-Combining Capacity of Human Hair (*Robbins, Barnhurst*) 1130
The Influence of Presorbed Anionic Surfactant on the Sorption of Cationic Surfactant by Hair (*Robbins, Barnhurst*)—L . . 1197
Sello, Stephen B. Flame-Retardant Properties of Phosphonate Derivatives of Cotton Cellulose (*Tesoro, Willard*) 245
Shah, Champaklal D. Anomalous Lightfastness in Disperse-Dyed Systems and its Significance in Studies of Fading Mechanism (*Giles, Yabe*) 467
Some Observations on the Kinetics of Dye Fading (Giles, Johari) 1048
Shah, K. M. The Effect of Temperature on Photochemical Degradation of Textile Materials. Part I: Degradation Sensitized by Titanium Dioxide (*Egerton*) 130
Shah, R. C. Infrared Analysis of Oxidized Keratins (*Gandhi*)—L 874
Oxidation of Cystine with Perchloric Acid (*Gandhi*)—L . . . 1066
Utilizing Silver Electrode to Determine the Chloride Concentration in Dissolved Wool Solutions (*Gandhi*)—L 313
Utilizing the Sodium Ion Electrode to Determine Sodium Ions in Presence of Dissolved Wool Solutions (*Kulkarni, Gandhi*)—L 307
Shah, S. M. A. Physical Properties of Magra Wool Fibers (*Whiteley*)—L 678
Shankaranarayana, K. S. Prediction of the Quality of Blended Yarns from That of the Individual Components (*Ratman, Underwood, Govindarajulu*) 360
Shealy, Otis L. A New Class of Fibrous Polyethylene Sheet Products (*Hentschel*) 7
Sheldon, R. C. Design of an On-Line Computer-Based Textile Information Retrieval System (*Roach, Backer*) 81
Simpson, J. An Evaluation of Fiber Parallelization and Drafting Tenacity of Cotton Sliver (*DeLuca, Fiori*) 817
Observations for Improving Cotton Carding—L 103
Simpson, R. J. Studies in Wool Yellowing. Part XIX. Improved Stability of Fluorescent-Brightened Fabrics to Simulated Light (*Inglis*) 109
Singleton, R. W. Prediction of Stretch-Woven Fabric Behavior From False-Twist Textured Filament Yarn Properties (*Butterworth, Platt, Sprague*) 855
Sircar, Anil K. Mechanical, Thermal, and Thermomechanical Properties of Propionylated Cotton Yarn (*Conrad*) 352
Slowig, W. D. Sodium Ethylcellulose Sulfate (*Rowley*) 879
Soignet, Donald M. Internal Catalyst for the Modification of Cotton Cellulose With Dimethylolethyleneurea (*Benerito*)—L 1143
Song, J.-H. Some Aspects of the Geometry of Simple Rib-Tuck Weft-Knitted Wool Fabrics (*Turner*) 481
Spivak, S. M. The Behavior of Fabrics in Shear. Part III: The Relation Between Bias Extension and Simple Shear (*Treloar*) 963
Sprague, B. S. Prediction of Stretch-Woven Fabric Behavior From False-Twist Textured Filament Yarn Properties (*Butterworth, Platt, Singleton*) 855
Stamm, O. A. Investigations on the Chemical Constitution of Cotton Cross-Linked With Formaldehyde (*Patel, Rivlin, Samuelson, Zollinger*) 226
The Determination of Formaldehyde in Cellulose Formals and Methylated Cellulose Formals (*Ramanathan, Rivlin, Zollinger*) 63
Stannett, V. High-Yield Pre-Irradiation Grafting to Wool Leading to Highly Elastic Fibers (*Williams*)—L 1065
Stewart, G. Oil Take Up and Removal by Washing from Polyester, Polyester/Cotton Blend, and Other Fabrics (*Brown, Thompson*) 735
Sule, A. D. Estimation of Tryptophan Content of Wool by Barium Hydroxide (Baryta) Hydrolysis Method (*Juneja, Chipalkatti*) 461
Swanepoel, O. A. Abrasion Testing of Knitted Fabrics at Constant Riding Resistance (*Kerley*)—L 557
Swart, L. S. The Fractionation of the High-Sulfur Proteins from Oxidized Mohair (*Joubert*) 36
Swidler, Ronald Vapor-Phase Treatment of Cotton Fabrics with Formaldehyde Catalyzed by Sulfur Dioxide (*Wilson, Gamarra*) 401

Tallant, John D. Breakage Models and Measuring Techniques for Fiber Weight-Length Distributions (*Pittman*) 149
Harmonic Response of the Uster Spectrograph (*Patureau*)—L 208
Mathematical Models and Measurement of Fiber Hooks (*Pittman*) 576
Tanquary, A. C. Studies of Means of Obtaining High Moisture Regain in Resin-Treated Cotton Fabrics (*Liggett, Hoffman*) 275
Taylor, Edward L. New Synthesis of Cellulosic Ion-Exchange Compounds—L 104
Taylor, Hugh S. Oxidative Degradation of Nylon 66 Filments (*Vachon, Rebenfeld*) 716
Temin, Samuel C. The Stress–Strain Behavior of Wool in Various Swelling Media (*Abbott, Park*) 1026
Tesoro, Giuliana C. Flame-Retardant Properties of Phosphonate Derivatives of Cotton Cellulose (*Sello, Willard*) 245
Thompson, S. H. Oil Take Up and Removal by Washing from Polyester, Polyester/Cotton Blend, and Other Fabrics (*Brown, Stewart*) 735
Thorsen, W. J. A Corona Discharge Method of Producing Shrink-Resistant Wool and Mohair. Part II: Effects of Temperature, Chlorine Gas, and Moisture 644
Till, A. R. A Liquid Scintillation Counting Technique for the Determination of the Mean Fiber Diameter of Wool Samples Labeled with [^{14}C] Formic Acid (*Downes*) 523
Effect of Fiber Diameter in the Liquid Scintillation Counting of Wool Labeled by Reaction with [2-^{3}H] and ([2-^{14}C] Iodoacetic Acid (*Downes*) 518
Tolgyesi, W. S. Improved Cotton DP Through Dry-Cure Deposition of Polymers Containing Reactive Groups 416
Treloar, L. R. G. The Behavior of Fabrics in Shear. Part III. The Relation Between Bias Extension and Simple Shear (*Spivak*) 963
Turner, J. D. Some Aspects of the Geometry of Simple-Tuck Weft-Knitted Wool Fabrics (*Song*) 481

Underwood, C. Prediction of the Quality of Blended Yarns from That of the Individual Components (*Ratman, Shankaranarayana, Govindarajulu*) 360

Vachon, Raymond N. Oxidative Degradation of Nylon 66 Filaments (*Rebenfeld, Taylor*) 716
Van Rensburg, N. J. J. Reductive After-Treatments of Peroxide-Bleached Wool—L 318
Verschraege, L. Study of the Reversal Phenomenon in the Fibrillar Structure of the Cotton Fiber: Reversal Distance Distribution as Origin of an Extended Hypothesis in the Cotton Fiber Development (*Raes, Fransen*) 182
Viertel, L. Graphical Conversion of Digital Fibrograph into Suter-Webb Array Data (*Castro, Sánchez, Barella*)—L 972

Watkins, Nancy C. Morphology of Melt-Crystallized Polyethyleneterephthalate (*Hansen*) 388
Watt, I. C. Selective Cross-Linking in the Microfibrillar Component of Keratin (*Morris*)—L 674
Weiss, Louis C. Abrasion and Tensile Properties of Cross-Linked Cotton Fabrics (*Grant, Andrews, Hassenboehler*) 217
Welch, C. M. Yarn Mercerization Techniques in Preparing High-Strength Wash-Wear Cottons (*Murphy, Margavio, Cooper*) 544
Wehner, A. Improved Durable-Press Cottons Produced by Conventional Pad-Dry-Cure Procedures Using Pairs of Monofunctional and Difunctional Swelling Reactants (*Gagliardi, Cicio*) 425
Wells, R. D. Patterns of Flow of Technical Information—A Design Problem for the Textile Industry 332
Response to Letter by J. S. *Billheimer*—L 1210

Whiteley, K. J. Physical Properties of Magra Wool Fiber (*Shah*)—**L** 678
The Influence of Natural Variations in Fiber Properties on the Bulk Compression of Wool (*Chaudri*) 897
Wiles, D. M. Effect of Noncellulosic Material on the Actinic Degradation of Cotton Fabric. Part IV: 5-Bromosalicylaldehyde, N-(n-Butyl)-5-Bromosalicylaldimine, Di-(5-Bromosalicylaldehyde Ethylenedimine, and Their Copper Complexes (*Cooney, Gingras*) 615
Willard, John J. Flame-Retardant Properties of Phosphonate Derivatives of Cotton Cellulose (*Tesoro, Sello*) 245
Williams, J. L. High-Yield Pre-Irradiation Grafting to Wool Leading to Highly Elastic Fibers (*Stannett*)—**L** 1065
Williamson, Pierce M. A Method for Determining Activation Energies of Microcreep in Filaments From Force–Elongation Data 211
Wilson, Katherine Vapor-Phase Treatment of Cotton Fabrics With Formaldehyde Catalyzed by Sulfur Dioxide (*Gamarra, Swidler*) 401
Windus, W. Moth Resistance of Glutaraldehyde-Stabilized Wool (*Happich, Naghski, Bry*)—**L** 973
Wlochowicz, Andrzej Alterations in Structural and Mechanical Properties of Wool Fibers Versus Sheep's Age (*Marchlewska*) 503
Wolfram, L. J. A Keratin Fiber Sheath—**L** 1144
Wood, G. F. Surface Felting in Fabrics Knitted from Wool Treated by the Chlorine-Resin Shrink-Resist Press (*Anderson, Katz*)—**L** 559

Yabe, Akihiko Anomalous Lightfastness in Disperse-Dyed Systems and its Significance in Studies of Fading Mechanisms (*Giles, Shah*) 467
Yagami, Kazuo A Method for Estimating the Fine Structure of Regenerated Cellulosic Fiber—**L** 1203

Zahn, H. Investigation of the Quantitative Dinitrophenylation of the Lysyl and the Tyrosyl Residues in Mohair (*Beyer*)—**L** 1069
Ziifle, H. M. Effect of Mercerizing-Strength NaOH on Fine Structures of Cottons Modified with Butanedienediepoxide (*Benerito, Berni, Cannizzaro*) 1101
Kinetics of the Reactions of Ethyleneurea Derivatives with Cotton Cellulose. Part III: The Cellulose-Dimethyldihydroxyethyleneurea Reaction (*Benerito, Gonzales, Berni*) 925
Kinetics of the Reactions of Ethyleneurea Derivatives with Cotton Cellulose. Part III: The Cellulose-Dimethyldihydroxyethyleneurea Reaction (*Benerito, Gonzales, Berni*) . . 925
The Determination of Formaldehyde in Cellulose Formals and Methylated Cellulose Formals (*Ramanathan, Rivlin, Stamm*) 63
Zurek, Witold Reduced Strength of Fabrics as a Measure of Their Mechanical Properties (*Miskiewicz, Bendkowska*)—**L** 305
Zůffa, Pavel Measurement of Parameters of Triboelectric Effect—**L** 1211

SUBJECT INDEX

Abrasion, see **Wear**
Absorption
THPC on fabrics *Gandhi* 1180
Acrylics
anionic graft polymerization of acrylonitrile on cellulose *Avny, Rebenfeld* 684
spun yarns: fiber-to-yarn strength translation *Hurley, Duby, Pfeifer* 1180
Activation Energy
of microcreep in filaments from force–elongation data *Williamson* 211
Analysis
barium hydrolysis: to estimate tryptophan content of wool *Juneja, Sule, Chipalkatti* 461
chloride concentration in dissolved wool solutions: with silver electrode *Shah, Gandhi*—**L** 313
formaldehyde in formals and methylated formals of cellulose by modified Schiff method *Ramanathan, Rivlin, Stamm, Zollinger* 63
fractionation of high-sulfur proteins from oxidized mohair *Swart, Joubert* 36
isolation of coloring matter from canary-colored wool *Gupta, Patnaik, Chipalkatti*—**L** 107
sodium ions in presence of dissolved wool solutions: with sodium ion electrode *Kulkarni, Shah, Gandhi*—**L** 307
tryptophan content of wool by barium hydrolysis method *Juneja, Sule, Chipalkatti* 461
x-ray fluorescent spectroscopy to measure the amount of soil on wool fabric *Richards, Morris, Arkley*—**L** 105
Apparatus, see **Testing apparatus**

Bast Fibers
quality assessment of jute and mesta from their fiber properties *Bandyopadhyay* 135
Blends
polyester/cotton: oil take up and removal by washing *Brown, Thompson, Stewart* 735
prediction of quality of blended yarns from that of the individual components *Ratman, Shankaranarayana, Underwood, Govindarajulu* 360
wool/nylon socks: analysis of wearer trials *David, McCullough* 679
yarns: tensile rupture *Monego, Backer*—**L** 762

Carbonization
breaking twist angle as a measure of acid carbonizing damage *Juneja, Chatterjee, Ranganathan*—**L** 1167
viscose rayon yarn *Ross* 906
Carding (see also **Textile Processing**)
observations for improving cotton *Simpson*—**L** 103
Carpets
performance evaluation: stress–strain behavior *Laughlin, Cusick* 72
Catalysis
Lewis-acid: amino methylol resins and passible complex formation *Haith, Namboori*—**L** 1061
Cellulosates
cellulosic fibers in relation to formation and structure of sodium cellulosates *Avny, Rebenfeld* 599
Cellulose
anionic graft polymerization of acrylonitrile *Avny, Rebenfeld* 684
cotton: reaction mechanisms, structure, and properties of methylol compounds *Petersen* 156
electron-microscope study of fine structure of cellulose fibers by means of ultramicrotomy *Kassenbeck, Hagege* . . 196
esters with low degrees of substitution: microscopical investigation *Cannizzaro, Goynes, Rollins, Berni* 842
flame-retardant properties of phosphonate derivatives *Tesoro, Sello, Willard* 245
formals and methylated formals: determination of formaldehyde by modified Schiff method *Ramanathan, Rivlin, Stamm, Zollinger* 63
internal catalyst for modification with dimethylolethyleneurea *Soignet, Benerito*—**L** 1143
kinetic examination of the pyrolysis of tritylated celluloses: comparison of the Chatterjee and two alternative methods *Conrad, Harbrink* 366
materials: swelling degree and hydrolysis rate with cellulase *Ogiwara, Arai* 885
methyl: radiation-induced degradation without dealkoxylation *Atchison*—**L** 1142
partially ethylated: with sodium acetyl sulfate *Slowig, Rowley* 879
reaction with aryl isocyanates via phenyl N-arylcarbamates *Hobart, McGregor, Mack* 824
thermoanalytical studies on durable-press curing: thermal behavior of trimethylol-melamine-carbohydrate mixtures *Miller* 1
thermoanalytical studies on durable-press curing: effect of nitrate salts on the thermal behavior of cotton *Miller* . . . 395
Chemical Reactions
accessibility and reaction sites in cotton *Jeffries, Roberts, Robinson* 234
cotton–dimethylol carbamate: rates at 160°C *Berni, Reinhardt, Benerito*—**L** 1072
formation of sodium cellulosates in relation to physical properties of cellulosic fibers *Avny, Rebenfeld* 599
cellulose–dimethyldihydroxyethyleneurea: kinetics *Ziifle, Benerito, Gonzales, Berni* 925
sodium acetyl sulfate with partially ethylated cellulose *Slowig, Rowley* 879
Chemicals, see **Cotton, Chemically Treated; Wool Chemically Treated; Dyes; Mothproofing; Shrinkproofing; Textile Chemicals**
Cleaning, see **Textile Processing**
Cloth
glass-fiber filter: flexing fatigue *Hicks, Mandersloot* 942
Colorfastness, see **Lightfastness**
Combing, see **Carding; Textile Processing**
Composites
dynamic testing *Behrens* 1075
Cords see **Tire Cords**
Cotton, see **Cellulose; Cotton, Chemically Treated; Cotton, Fibers; Cotton Quality; Fabric Geometry; Fiber: Yarn: Fabric Relationships; Moisture Regain; Testing Apparatus and Procedures; Textile Processing**
Cotton, Chemically Treated
accessibility and internal surface area after cross-linking with formaldehyde *Iyer, Rao*—**L** 668
infrared spectroscopic study of intercrystalline and fine structural properties *Pandey, Iyengar*—**L** 675
mercerization in preparing high-strength wash-wear cottons *Murphy, Margavio, Cooper, Welch* 544
propyleneurea agents to increase resistance to chlorine damage *Reinhardt, Cashen, Reid*—**L** 1067
phenyl-carbamylated: some properties *Sarkar, Arthur, George*—**L** 1145
propionylated cotton yarn: mechanical, thermal, and thermomechanical properties *Sircar, Conrad* 352
with butanedienediepoxide: effect of mercerizing-strength NaOH on fine structures *Ziifle, Benerito, Berni, Cannizzaro* 1101
Cotton Fibers
accessibility and reaction sites *Jeffries, Roberts, Robinson* . . 234
chemical constitution of cotton cross-linked with formaldehyde *Patel, Rivlin, Samuelson, Stamm, Zollinger* 226
conventional pad-dry-cure process for durable-flame and wrinkle resistance with tetrakis (hydroxymethyl) phosphonium hydroxide (THPOH) *Beninate, Bolyston, Drake, Reeves* . . . 267

cotton: produced by conventional pad-dry-cure procedures using pairs of monofunctional and difunctional swelling reactants *Gagliardi, Wehner, Cicione* . . . 425
differences in outdoor weathering *Lee, Finkner* . . . 1044
effect of noncellulosic material on the actinic degradation: 5-Bromosalicylaldehyde. N-(n-Butyl)-5-Bromosalicylaldimine, Di-(5-Bromosalicylaldehyde) Ethylenediimine, and Their Copper Complexes *Wiles, Cooney, Gingras* . . . 615
elastic behavior of resin-treated batting at 135–170°F *Knoepfler, Gentry* . . . 44
study of reversal phenomenon in the fibrillar structure of the cotton fiber: reversal distance distribution as origin of an extended hypothesis in the cotton fiber development *Raes, Fransen, Verschraege* . . . 182

Cotton Quality
resiliency in chemically treated cotton: inconsistencies in theories *Benerito* . . . 279
cotton maturity coefficient and percent increase in fiber weight of cotton lint and relative humidity *Chiplonkar*—**L** . . . 1071

Creaseproofing, Crease Resistance, and Creasing
application of mechanisms for wet and dry wrinkle recovery to fabric exhibiting the unusual combination of high dry and low wet recovery *Harper, Bruno, Reeves* . . . 292
mechanics of creasing and crease recovery *Olofsson* . . . 773
mobile ester cross links for thermal creasing of wrinkle-resistant cotton fabrics *Rowland, Brannan* . . . 634

Creep
activation energies of microcreep in filaments from force-elongation data *Williamson* . . . 211

Cross-Linking see also **Cellulose; Cotton, Chemically Treated; Creaseproofing; Crease Resistance, and Creasing**
chemical constitution of cotton cross-linked with formaldehyde *Patel, Rivlin, Samuelson, Stamm, Zollinger* . . . 226
cotton fibers with formaldehyde: accessibility and internal surface area *Iyer, Rao*—**L** . . . 668
mobile ester cross links in thermal creasing of wrinkle-resistant cotton fabrics *Rowland, Brannan* . . . 634
selective: in microfibrillar component of keratin *Watt, Morris*—**L** 674

Curing
conventional pad-dry-cure procedures using pairs of monofunctional and difunctional swelling reactants to produce improved durable-press cottons *Gagliardi, Wehner, Cicione* 425
improved cotton DP through dry-cure deposition of polymers containing reactive groups *Tolgyesi* . . . 416
thermoanalytical studies on the durable-press curing of cellulose: effect of nitrate salts on the thermal behavior of cotton *Miller* . . . 395
thermoanalytical studies on durable-press curing of cellulose: thermal behavior of trimethylolmelamine-carbohydrate mixtures *Miller* . . . 1

Degradation
cellulolytic: microflora associated with degradation of cotton in storage in Bombay *Betrabet, Dasani, Bhatt* . . . 1189
oxidative: nylon 66 filaments *Vachon, Rebenfeld, Taylor* . . . 716
radiation-induced: methyl cellulose, without dealkoxylation *Atchison*—**L** . . . 1142

Detergents, see **Laundering**

Deterioration of Materials, see **Microbiological Degradation; Photochemical Effects; Wear**

Dielectrics
wool: analysis of the use of resonance circuit apparatus for measurement *King*—**L** . . . 554

Differential Thermal Analysis (see also **Heat Phenomena**)
thermoanalytical studies on durable-press curing of cellulose: effect of nitrate salts on thermal behavior *Miller* . . . 395
thermoanalytical studies on durable-press curing of cellulose: thermal behavior of trimethylolmelamine-carbohydrate mixtures *Miller* . . . 1

Drafting see **Textile Processing**

Drying
migration and diffusion of agents in drying *Aboul-Fetouh, Miles* . . . 176
sheet materials *Nissan* . . . 447

Durable Press
improved cotton: by wet fixation; laboratory–mill correlations *Baitinger, Nakajima, DePaolo* . . . 432
thermoanalytical studies on durable-press curing of cellulose: effect of nitrate salts on the thermal behavior of cotton *Miller* 395
thermoanalytical studies on durable-press curing of cellulose: thermal behavior of trimethylolmelamine-carbohydrate mixtures *Miller* . . . 1

Dyeing (see also **Dyes**)
acid dye-combining capacity of human hair: causes of variation *Robbins, Scott, Barnhurst* . . . 1130
acid dyeing equilibria in aminized cotton *Rattee*—**L** . . . 205
acid dyeing equilibria in aminized cotton: response by *Porter and Evans* to letter by *Rattee*—**L** . . . 205
acid dyeing of nylon 6,6; effect of fiber and dyebath variables *Bell* . . . 984
anomalous lightfastness in disperse-dyed systems and its significance in studies of fading mechanism *Giles, Yabe, Shah* 467
kinetics of dye fading: some observations *Giles, Johari, Shah* 1048

Dyes (see also **Dyeing**)
disperse: quantitative determination on synthetic fibers *Pacifici, Irick*—**L** . . . 876
disperse-type: anomalous lightfastness and significance in studies of fading mechanism *Giles, Yabe, Shah* . . . 467

Electrical Properties
correlation of electrical resistivities of fabrics with their ability to develop and to hold electrostatic charges *Ramer, Richards* . . . 28
measurement of parameters of triboelectric effect *Züfla*—**L** 1211

Encapsulation
pulp fibers by vanadium trichloride-catalyzed polymerization of ethylene *Chanzy, Coté, Marchessault* . . . 583

Esterification
sulfate ester of ethylcellulose: preparation and properties *Slowig, Rowley* . . . 879

Fabric Geometry
dimensional properties of knitted wool fabrics: plain-knitted structure *Knapton, Ahrens, Ingenthron, Fong* . . . 999
geometry of simple rib-tuck weft-knitted wool fabrics *Song, Turner* . . . 481

Fabrics (see also **Fabric Geometry; Fiber: Yarn: Fabric Relationships; Knit Fabrics; Wool Fabrics; Wear**)
absorption of THPC *Gandhi* . . . 1180
behavior in shear *Grosberg, Park*—**L** . . . 1205
behavior in shear: relation between bias extension and simple shear *Spivak, Treloar* . . . 963
correlation of electrical resistivities with the ability to develop and to hold electrostatic charges *Ramer, Richards* . . . 28
cotton: abrasion and tensile properties of cross-linked *Grant, Andrews, Weiss, Hassenboehler* . . . 217
cotton: vapor-phase treatment with formadehyde catalyzed by sulfur dioxide *Wilson, Gamrra, Swidler* . . . 401
felting shrinkage of plain-knitted wool: dependence on fabric structure and shrinkproofing level *Baird, Foulds* . . . 743
improved cotton: through dry-cure deposition of polymers containing reactive groups *Tolgyesi* . . . 416
knitted wool of different structures; tightness and felting shrinkage *Baird, Foulds*—**L** . . . 1146
knitted wool: dimensional properties of plain-knitted structure *Knapton, Ahrens, Ingenthron, Fong* . . . 999
modified technique for measuring power of form-persuasive garment *Ibrahim* . . . 950
normal- and special-finished woven cotton: theoretical study of tear performance in service *Sarma, Ranganathan, Chipalkatti, Maji* . . . 1118
plain-weave: elastic shear modulus *Grosberg, Leaf, Park* . . . 1085
resin-treated cotton: means of obtaining high moisture regain *Liggett, Hoffman, Tanquary* . . . 375
slack-mercerized cotton: effect of laundering on stretch properties *Bennett*—**L** . . . 766
stretch-woven: prediction of behavior from false-twist textured filament yarn properties *Butterworth, Platt, Singleton, Sprague* 855
tightness and felting shrinkage of knitted wool fabrics of different structures *Baird, Foulds*—**L** . . . 1146
vapor-phase treatment of cotton fabrics with formaldehyde catalyzed by sulfur dioxide *Wilson, Gamarra, Swidler* . . . 401
weft-knitted wool: some aspects of the geometry of simple rib-tuck *Song, Turner* . . . 481
wool: temperature and moisture regain after steam pressing *Iyer, Rao*—**L** . . . 668
wrinkle-resistant *Daul*—**L** . . . 1199
yellowing. improved stability of fluorescent-brightened fabrics to simulated sunlight *Inglis, Simpson* . . . 109

Fatigue
flexing: glass-fiber filter cloth *Hicks, Mandersloot* . . . 942

Felting (see also **Shrinkproofing, Wool, Chemically Treated**)
shrinkage of plain-knitted wool fabrics: dependence upon fabric structure and shrinkproofing level *Baird, Foulds* . . . 743
surface: in fabrics knitted from wool treated by the chlorine-resin shrink-resist press *Anderson, Katz, Wood*—**L** . . . 559
tightness and felting shrinkage of knitted wool fabrics of different structures *Baid, Foulds*—**L** . . . 1146
wool: as affected by heat *Gordon* . . . 621

Fiber: Yarn: Fabric Relationships
migration of fibers in yarns: correlogram method of analysis *Hearle, Goswami* . . . 780
migration in continuous filament yarns: influence of twist and twisting tension *Hearle, Goswami* . . . 790

Fibers and Filaments (see also **Bast Fibers; Cotton Fibers; Keratin; Wool Fibers**)
cellulosic: formation and structure of sodium cellulosates in relation to physical properties *Avny, Rebenfeld* . . . 599
cyanamide-based durable flame-retardant finish for cotton *O'Brien* . . . 256
durable non-reactive flame-retardant: for cotton *Miles, Delasanta* . . . 273
extension-recovery behavior *Olofsson*—**L** . . . 440
growth model *Raes, Frausen, Verschraege* . . . 182
immersed in liquids: measurement of rigidity *Middelburg*—**L** 1138
measurement of parameters of triboelectric effect *Züfla*—**L** 1211
migration and diffusion of finishing agents *Aboul-Fetouh, Miles* . . . 176
migration in yarns: correlogram method of analysis *Hearle, Goswami* . . . 780

migration theories: need for more fundamental approach and further studies *El-Behery* 321
regenerated cellulosic: method for estimating fine structure *Yagami*—**L** 1203
twisted nylon: structure *Cooper, McKinnon, Prevorsek* . . . 803
twisted polyethyleneterephthalate: structure *Cooper, McKinnon, Prevorsek* 803
Finishing (see also **Cotton, Chemically Treated; Crease-proofing, Crease Resistance; and Creasing; Water Resistance; Waterproofing; Wool, Chemically Treated**)
conventional pad-dry-cure process for durable-flame and wrinkle resistance with tetrakis (hydroxymethyl) phosphonium hydroxide (THPOH) *Beinate, Boylston, Drake, Reeves* . . 267
cyanamide-based durable flame-retardant finish for cotton *O'brien* 256
durable non-reactive flame-retardant finishes for cotton *Miles, Delasanta* 273
phosphonate derivatives of cotton cellulose *Tesoro, Sello, Willard* 245
Flameproofing
cyanamide-based durable finish for cotton *O'Brien* 256
durable non-reactive finishes for cotton *Miles, Delasanta* . . 273
phosphonate derivatives of cotton cellulose *Tesoro, Sello, Willard* 245
Flax, see **Bast Fibers**
Form-Persuasive Garments
based on spandex: mechanics *Ibrahim* 950
Fulling, see **Felting**

Gamma Radiation, see **Radiation**
Garments
form-persuasive spandex: mechanics *Ibrahim* 950
Grafting, (see also **Cotton, Chemically Treated; Wool, Chemically Treated**)
poly (alkyl methacrylate)-cotton graft copolymers prepared by radiation-initiated reactions: fibrous structure and properties *Blouin, Cannizzaro, Arthur, Rollins* 811

Heat Phenomena
glass transition temperature of nylon 6 *Forster* 474
Human Hair, see **Keratin**

Information Storage and Retrieval
design of an on-line computer-based textile information retrieval system *Sheldon, Roach, Backer* 81
flow patterns of technical information: design problem for the textile industry *Wells* 332
informal and negative information *Billheimer*—**L** 1210
response to letter by J. S. Billheimer *Wells*—**L** 1210
Instrumentation, see **Testing Apparatus**
Ion Exchange
new synthesis of cellulosic ion-exchange compounds *Taylor*—**L** 104

Jute, see **Bast Fibers**

Keratin (see also **Wool Fibers**)
chemical modification: effect of ionizing radiations *Di Modica, Marzona*—**L** 1208
distribution of high- and low-sulfur fractions in alpha-keratin *Bendit* 15
equilibrium between α and β phases in keratin fibers in water *Feughelman*—**L** 1136
acid dye-combining capacity: causes of variation *Robbins, Scott, Barnhurst* 1130
fiber sheath *Wolfram*—**L** 1144
influence of presorbed anionic surfactant on the sorption of cationic surfactant by hair *Robbins, Scott, Barnhurst*—**L** 1197
microfibrillar component: selective cross-linking *Watt, Morris*—**L** 673
oxidized: infrared analysis *Shah, Gandhi*—**L** 874
sulfitolysis and morphological structure *Miró, Hueso*—**L** . . . 770
Keratin Fibers
keratin: equilibrium between α and β phases in water *Feughelman*—**L** 1136
Kinetics
dye fading: some observations *Giles, Johari, Shah* 1048
reactions of ethyleneurea derivatives with cotton cellulose: cellulose-dimethyldihydroxyethyleneurea reaction *Ziifle, Benerito, Gonzales, Berni* 925
Knit Fabrics
abrasion testing at constant riding resistance *Kerley, Swanepoel*—**L** 557
wool fabrics of different structures: tightness and felting shrinkage *Baird, Foulds*—**L** 1146
Knitting
effects of yarn/metal friction, loop length, and cover factor on knitting performance *Knapton* 22
impact of needles on a knitting cam *Leaf, Blackman* 651
weft: cam forces *Henshaw* 592
weft: theoretical and mechanical analyses of dynamics *Knapton* 914
Knitwear
wool: dimensional properties of knitted wool fabrics; plain-knitted structure *Knapton, Ahrens, Ingenthron, Fong* . . . 999
wool: dimensional stability of $1 \times 1, 2 \times 2$ rib, and half-cardigan structures *Knapton, Ahrens, Ingenthron, Fong* 1013

Laminates
cord-reinforced: comparative application of net and continuum theory *Clark, Dodge* 931
Laundering
oil take up and removal by washing from polyester, polyester/cotton blend, and other fabrics *Brown, Thompson, Stewart* 735
suspending power and soil removal in detergency *Ford* 339
Lightfastness
anomalous: in disperse-dyed systems and its significance in studies of fading mechanism *Giles, Yabe, Shah* 467
contribution of structural elements towards the luster in cotton fibers *Prakash, Oka, Iyengar* 52

Mathematics and Models
breakage models and measuring techniques for fiber weight-length distributions *Tallant, Pittman* 149
comparison of net and continuum theory as applied to cord-reinforced laminates *Clark, Dodge* 931
mathematical models and measurement of fiber hooks *Pittman, Tallant* 576
mechanical model for wool *Menefee* 1149
probability model for random fiber breakages: estimation and application *Lee* 565
Mechanical and Physical Properties
abrasion and tensile properties of cross-linked cotton fabrics *Grant, Andrews, Weiss, Hassenboehler* 217
alterations in structural and mechanical properties vs sheep's age *Włochowicz, Marchlewska* 503
application of mechanisms for wet and dry wrinkle recovery to fabric exhibiting the unusual combination of high dry and low wet recovery *Harper, Bruno, Reeves* . . 292
behavior of fabrics in shear *Grosberg, Park*—**L** 1205
behavior of fabrics in shear: relation between bias extension and simple shear *Spivak, Treloar* 963
bending-moment relationships in textile materials: instrument for measuring *Popper, Backer*—**L** 870
elastic behavior of resin-treated cotton batting at 135–170°F *Knoepfler, Gentry* 44
elastic shear modulus of plain-weave fabrics *Grosberg, Leaf, Park* 1085
fiber-to-yarn strength translation of acrylic spun yarns *Hurley, Duby, Pfeifer* 1174
measurement of rigidity of fibers immersed in liquids *Middelburg*—**L** 1138
mechanical, thermal, and thermomechanical properties of propionylated cotton yarn *Sircar, Conrad* 343
physical properties of Magra wool fibers *Shah, Whiteley*—**L** 678
reduced strength of fabrics as a measure of their mechanical properties *Żurek, Miskiewicz, Bendkowska*—**L** 305
resiliency in chemically treated cotton: inconsistencies in theories of *Benerito* 279
some mechanical properties: resorcinol-formaldehyde latex *Raumann* 627
strength of a textile webbing connection *French* 118
stress–strain behavior of wool in various swelling media *Abbott, Temin, Park* 1026
stretch properties of selected slack-mercerized cotton fabrics: effect of laundering *Bennett*-**L** 766
tensile rupture of blended yarns *Monego, Backer*—**L** 762
Mercerization
cotton fabric in slack condition: effect of laundering on stretch properties *Bennett*—**L** 766
yarn: in preparing high-strength wash-wear cottons *Murphy, Margavio, Cooper, Welch* 544
Microbiological Degradation
cotton in storage in Bombay *Betrabet, Dasani, Bhatt* . . . 1189
Micro-Organisms
microflora associated with degradation of cotton in storage in Bombay *Betrabet, Dasani, Bhatt* 1189
Microscopy
electron-microscope study of fine structure of cellulose fibers by means of ultra-microtomy *Kassenbeck, Hagege* 196
light and electron: to evaluate cellulose esters with low degrees of substitution *Cannizzaro, Goynes, Rollins, Berni* . . 842
spectrophotometric determination of disperse dyes on synthetic fibers *Pacifici, Irick*—**L** 876
spectrophotometric determination of degree of yellowness and degree of redness of yellow wool solutions only *Gupta*—**L** 310
Moisture Regain
resin-treated cotton: means of obtaining high moisture regain *Liggett, Hoffman, Tanquary* 375
Morphology
melt-crystallized polyethyleneterephthalate *Watkins, Hansen* . 388
Mothproofing
glutaraldehyde-stabilized wool *Happich, Windus, Naghski, Bry*—**L** 973

Nonwovens
application of fiber network theory *Hearle, Newton* 343
behavior of model systems of bonded fibers *Hearle, Newton* 488
Nylon
6 twisted fibers: structure *Cooper, McKinnon, Prevorsek* . . 803
6,6 fiber: effect of fiber and dyebath variables on the rate of acid dyeing *Bell* 984
66 filaments: oxidative degradation *Vachon, Rebenfeld, Taylor* 716
6 yarn: glass transition temperature *Forster* 474

Photochemical Effects (see also **Lightfastness**)
effect of noncellulosic material on the actinic degradation of cotton fabrics: 5-Bromosolicylaldehyde, N-(n-Butyl)-5-Bromosalicylaldimine, Di-(5-Bromosalicylaldehyde) Ethylenediimine and Their Copper Complexes *Wiles, Cooney, Gingras* 615
effect of temperature on photochemical degradation of textile materials: degradation sensitized by titanium dioxide *Egerton, Shah* 130
photo-induced free radicals: after treatment with thiourea-formaldehyde and fluorescent brighteners *Leaver* 729
Physical Properties (see **Mechanical and Physical Properties**)
Polyamides
oblique strain markings in oriented *Bosley* 141
Polyethylene
fibrous sheet products *Shealy, Hentschel* 7
Polyethyleneterephthalate
morphology of melt-crystallized *Watkins, Hansen* 388
oblique strain markings in oriented polymers *Bosley* 141
structure of twisted fibers *Cooper, McKinnon, Prevorsek* 803
Polymers and Polymerization
anionic graft: acrylonitrile on cellulose *Avny, Rebenfeld* 684
ethylene: catalyzed by vanadium trichloride to encapsulate pulp fibers *Chanzy, Coté, Marchessault* 583
vinyl-cellulose copolymers: effect of method of preparation on properties of polyacrylonitrile-cotton copolymers *Blouin Morris, Arthur* 710
vinyl-cellulose copolymers: fibrous structure and properties of poly (alky methacrylate)—cotton graft copolymers prepared by radiation-initiated reactions *Blouin, Cannizzaro, Arthur, Rollins* 811
Proofing (see **Creaseproofing, Crease Resistance, and Creasing; Flameproofing; Shrinkproofing**)
Pyrolysis
kinetic examination of the pyrolysis of tritylated celluloses comparison of the Chatterjee and two alternative methods *Conrad, Harbrink* 336

Radiation (see also **Photochemical Effects**)
graft copolymerization of poly (alkyl methacrylate)—cotton initiated by γ-radiation: fibrous structure and properties *Blouin, Cannizzaro, Arthur Rollins* 811
ionizing: effect on solubility of wool in alkalis, acids, urea, and ureabisulfite *Marzona, Di Modica*—**L** 974
ionizing: effects on wool; chemical modification of keratins *Di Modica, Marzona*—**L** 1208
near uv: esr study of action on wool treated with thiourea-formaldehyde and fluorescent brighteners *Leaver* 729
uv yellowing and blue-light bleaching of different wools *Lennox, King* 754
Radioactive Tracers
effect of fiber diameter in the liquid scintillation counting of wool labeled by reaction with [2-^{3}H] and [2-^{14}C] iodoacetic acid *Downes, Till* 518
liquid scintillation counting technique for the determination of the mean fiber diameter of wool labeled with [^{14}C] formic acid *Downes, Till* 523
Regain
temperature and moisture: during steam pressing of wool fabrics *Baird*—**L** 670
Regenerated Fibers
cellulosic: method for estimating fine structure *Yagami*—**L** 1203
Resins
Lewis-acid catalysis of amido methylol resins and possible complex formation *Haith, Namboori*—**L** 1061

Set
stabilization in wool by formaldehyde treatments *Caldwell, Leach, Milligan, Delmenico* 877
stabilizing: wool and simultaneously bleaching *Gruen, Inglis*—**L** 1062
Sewing
needle temperature: theoretical analysis and experimental methods *Howard, Parsons* 606
Shrinkproofing (see also **Wool, Chemically Treated**)
mild treatments: effects on wool fibers *Makinson* 831
wool and mohair: by corona discharge; effects of temperature, chlorine gas, and moisture *Thorsen* 644
Socks
wool/nylon: analysis of wearer trials *David, McCullough* 679
Soiling, see **Laundering**
Spectroscopy
esr spectra of persulfate-treated wools *Burke, Nicholls* 891
infrared study of intercrystalline and fine structural properties of chemically modified cotton *Pandey, Iyengar*—**L** 675
spectral and microscopic data on effect of mercerizing-strength NaOH on fine structures of cottons modified with butanedienediepoxide *Ziifle, Benerito, Berni, Cannizzaro* 1101
x-ray fluorescent: to measure amount of soil on wool fabric *Richards, Morris, Arkley*—**L** 105
Statistics
statistically designed service wear trial of normal- and special-finished woven cotton fabrics: predictions of tear performance in service on basis of physical properties *Sarma, Maji, Ranganathan, Chipalkatti* 701
Swelling
wool fibers: in different media at 96°C *Feughelman, Irani, Gan* 1039
Synthesis
new synthesis of cellulosic compounds *Taylor*—**L** 104

Temperature Effects, see **Heat Phenomena**
Testing Apparatus and Procedures
abrasion testing of knitted fabrics at constant riding resistance *Kerley, Swanepoel*—**L** 557
breakage models and measuring techniques for fiber weight-length distributions *Tallant, Pittman* 149
breaking twist angle of wool fiber as a measure of acid carbonizing damage *Juneja, Chatterjee, Ranganathon*—**L** 1138
determination of tryptophan content of wool by barium hydrolysis method *Juneja, Sule, Chipalkatti* 461
digital Fibrograph: interpretation of results in its application to worsted tops *Barella* 561
dynamic testing of composite materials *Behrens* 1075
graphical conversion of digital fibrograph into Suter-Webb array data *Viertel, Castro, Sánchez, Barella*—**L** 972
harmonic response of the Uster spectrograph *Tallant, Patureau*—**L** 208
infrared analysis of oxidized keratins *Shah, Gandhi*—**L** 874
instrument for grading seam pucker *Belser, Kwon, Meaders*—**L** 315
instrument for measuring bending-moment relationships in textile materials *Popper, Backer*—**L** 870
liquid scintillation counting technique for the determination of the mean fiber diameter of wool labeled with [^{14}C] formic acid *Downes, Till* 523
measurement of fiber hooks: mathematical models *Pittman*, fibers immersed in liquids *Goodings* 123
measurement of the rigidity of fibers immersed in liquids: torsion double pendulum *Goodings* 123
method for estimating the fine structure of regenerated cellulosic fiber *Yagami*—**L** 1203
modified technique for measuring power of fabrics *Ibrahim* 950
preparation of specimens from wool top and cores for electronic wool fineness determination *Buras, Penoyer, Hoke* 1164
quantitative determination of disperse dyes on synthetic fibers *Pacifici, Irick*—**L** 876
resonance circuit apparatus for measurement of dielectric constants of wool *King*—**L** 554
silver electrode to determine chloride concentration in dissolved wool solutions *Shah, Gandhi*—**L** 313
sodium ions in presence of dissolved wool solutions; with sodium ion electrode *Kulkarni, Shah, Gandhi*—**L** 307
solubility tests on wool as related with lanthionine and lysinoalanine content *Asquith, Miró, Dominguez* 1057
spectrophotometric method for determining the degree of yellowness and degree of redness of yellow wool solutions only *Gupta*—**L** 310
spun yarns: fiber-to-yarn strength translation *Hurley, Duby, Pfeifer* 1180
torsion double pendulum: measurement of the rigidity of the *Tallant* 576
Textile Processing
cam forces in weft knitting *Henshaw* 592
conventional pad-dry-cure process for durable-flame and wrinkle resistance with tetralis (hydroxymethyl) phosphonium hydroxide (THPOH) *Beninate, Boylston, Drake, Reeves* 267
dynamics of weft-knitting: further theoretical and mechanical analyses *Knapton* 914
evaluation of fiber parallelization and drafting tenacity of cotton sliver *DeLuca, Simpson, Fiori* 817
hook formation and cylinder loading on the cotton card *Ghosh, Bhaduri* 535
needles: motion in a conventional cam system *Leaj, Blackman* 651
observations for improving cotton carding *Simpson*—**L** 103
role of fiber hooks in cotton combing *Owalekar*—**L** 768
weft-knitted wool fabrics: some aspects of the geometry of simple rib-tuck *Song, Turner* 481
Thermal Effects, see **Heat Phenomena**
Thermal Properties
durable-press curing of cellulose: thermal behavior of trimethylolmelamine-carbohydrate mixtures *Miller* 1
Tire Materials
resorcinol-formaldehyde tire cord latex: some mechanical properties *Raumann* 627
viscose rayon yarn: voids *Kaeppner* 662
Triboelectric Effects
measurement of parameters *Züfle*—**L** 1211

Viscose Fibers
carbonization of rayon yarn *Ross* 906

Wash-and Wear (see also **Creaseproofing, Crease Resistance, and Creasing**)
high-strength cottons: prepared by yarn mercerization *Murphy, Margavio, Cooper, Welch* 544
Washing, see **Laundering**
Wear
abrasion and tensile properties of cross-linked cotton fabrics *Grant, Andrews, Weiss, Hassenboehler* 217
analysis of wearer trials of wool/nylon socks *David, McCullough* 679
wear life of normal- and special-finished woven cotton fabrics: prediction in tear performance in service on the basis of physical properties *Sarma, Maji, Ranganathan, Chipalkatti* 701

wear life of normal- and special-finished woven cotton fabrics: theoretical study of tear performance in service *Sarma, Ranganathan, Chipalkatti, Maji* 1118
Weathering
cottons: outdoors *Lee, Finkner* 1044
Wool (see also **Wool, Chemically Treated; Wool Fabric; Wool Fibers**)
bulk compression: as influenced by natural variations in fiber properties *Chaudri, Whiteley* 897
canary-colored wool: isolation of coloring matter *Gupta, Patnaik, Chipalkatti*—**L** 107
dielectric constants: analysis on the use of resonance circuit apparatus for measurement *King*—**L** 554
effect of ionizing radiation: solubility in alkalis, acids, urea, and ureabisulfite solutions *Marzona, Di Modica*—**L** 974
electronic wool fineness determination: preparation of specimens from wool top and cores *Buras, Penoyer, Hoke* 1164
fulling vs heat *Gordon* 621
making shrink-resistant by corona discharge: effects of temperature, chlorine gas, and moisture *Thorsen* 644
spectrophotometric method for determining the degree of yellowness and degree of redness of yellow solutions only *Gupta*—**L** 310
stress-strain behavior: in various swelling media *Abbott, Temin, Park* 1026
studies in wool yellowing: processes for retardation of sunlight yellowing of fluorescent-brightened wool *Savige*—**L** . . 101
tenacity of official U. S. top standards *O'Connell*—**L** 1199
tryptophan content: estimation by barium hydrolysis method *Juneja, Sule, Chipalkatti* 461
yellowing: changes in fluorescence of brightened wool on irradiation *Gruen, Inglis* 497
Wool, Chemically Treated
effect of dimethyl sulfoxide treatments on the settability *Frazer, Leach, Milligan*—**L** 1201
effect of mild shrinkproofing treatment *Makinson* 831
fibroin: influence of alkali treatment on native and denatured proteins *Mellet* 977
formaldehyde treatments for stabilizing set *Caldwell, Leach, Milligan, Delmenico* 877
formation of free radicals in persulfate treatment *Burke, Nicholls* 891
influence of alkali treatment: native and denatured proteins *Mellet* 977
glutaraldehyde-stabilized: moth resistance *Happich, Windus, Naghski, Bry*—**L** 973
oxidation of cystine with perchloric acid *Shah, Gandhi*—**L** 1056
quantitative dinitrophenylation of lysyl and tyrosyl residues *Beyer, Zahn*—**L** 1069
reductive after-treatments of peroxide-bleached wool *Van Rensburg*—**L** 318
simultaneous bleaching and stabilizing set *Gruen, Inglis*—**L** 1062
uptake of metal complexes: their effects on physical properties; impregnation with titanium dioxide *Laurie*—**L** . . . 1140
urea-bisulfite solubility and keratose fractionation: *lan*thionine and lysinoalanine content *Asquith, Miró, Dominguez* 1057
yellowing after treatment with fluorescent brightening agents and thiourea-formaldehyde *Gruen, Inglis* 509
yellowing: fabrics treated with fluorescent brightening agents and thiourea-formaldehyde *Gruen, Inglis* 509
Wool Fabrics
steam pressing: temperature and moisture regain *Baird*—**L** . . 670
Wool Fibers
changes in structural and mechanical properties of wool fibers vs sheep's age *Włochowicz, Marchlewska* 503
deformation of straightened *Makinson*—**L** 555
effect of fiber diameter in the liquid scintillation counting of wool labeled by reaction with [2-^{3}H] and [2-^{14}C] iodoacetic acid *Downes, Till* 518
influence of natural variations in properties on bulk compression *Chaudri, Whiteley* 897
Magra: physical properties *Shah, Whiteley*—**L** 678
mean diameter: determination of samples labeled with [^{14}C] formic acid *Downes, Till* 523
Wrinkle Resistance, see **Creaseproofing, Crease Resistance, and Creasing**

X-Ray Diffraction
azimuthal splitting of equatorial x-ray reflections from cotton *Radhakrishnan, Patil*—**L** 209

Yarns
acrylic spun: fiber-to-yarn strength translation *Hurley, Duby, Pfeifer* 842
binary-blend: some distributional properties of a mixing index *Lee*—**L** 1200
blended: prediction of quality from that of the individual components *Ratman, Shankaranarayana, Underwood, Govindarajulu* 369
continuous filament: influence of twist and twisting tension on migration *Hearle, Goswami* 790
false-twist filament: properties used to predict behavior of stretch-woven fabrics *Butterworth, Platt, Singleton, Sprague* 855
mechanical, thermal, and thermomechanical properties of propionylated cotton yarn *Sircar, Conrad* 352
migration of fibers: correlogram method of analysis *Hearle, Goswami* 780
quality assessment of jute and mesta yarns from their fiber properties *Bandyopadhyay* 135
tensile rupture: blended *Monego, Backer*—**L** 762
viscose rayon: carbonization *Ross* 906
viscose rayon tire: voids *Kaeppner* 662
Yellowing
uv yellowing and blue-light bleaching of different wools *Lennox, King* 754
esr investigations of the action of uv radiation of wool *Leaver* 729

Books Reviewed and Noted

Appretur der Textilien: Mechanische und Chemische Technologie der Ausrustung (2nd, Revised Edition). W. Bernard. Berlin, Heidelberg, New York, Springer-Verlag. 1967. 406 pages. $19.50 771
Cell Wall Mechanics of Tracheids. Richard E. Mark. New Haven and London, Yaue University Press. 1967. xvii + 310 pages. $10.00 771
European Man-Made Fiber Market Report (1968). S. A. Mann. Park Ridge, N. J. and London, W.1, Noyes Development Corporation. 188 pages. $35.00. (paper back). 771
Handbuch der Chemischen Untersuchung der Textilfaserstoffe (Vol. 4, Part 1). H. M. Ulrich. Vienna, New York, Springer-Verlag. 1967. xvi + 427 pages. $36.00 (Subscription price). 771
How to Find Out About the United Kingdom Cotton Industry. B. Yates. Oxford, New York, etc., Pergamon Press. 1967. ix + 97 pages. $4.00 (hard-cover); $2.50 flexi-cover) 771
Man-Made Fibers: Science and Technology (Volume 1). Edited by H. F. Mark, S. M. Atlas, and E. Cernia. New York, London, Sydney, Interscience Publishers. 1967. xi + 432 pages. $17.50. 771
Pigments: An Introduction to their Physical Chemistry. D. Patterson (ed.). Amsterdam, London, New York, Elsevier Publishing Co., Ltd. 1967. xii + 210 pages. $12.00 771
Proceedings of the Conference on Static Electrification (May 1967). Volume 4 in the Institute of Physics and Physical Society Conference Series 771
Processing of Polyester-Cotton Blends. G. G. Kulkarni and S. S. Trivedi. Ahmedabad, India., Ahmedabad Textile Industry's Research Association, 1967. 151 pages. 771